| , | Application No. | Applicant(s) | 8 |
|--|---|---|---------------------------------|
| | | | |
| Notice of Allowability | 10/664,376 Examiner | ALLEN ET AL. Art Unit | |
| | | Art onit | • |
| | Fred Prince | 1724 | |
| The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) of NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIC of the Office or upon petition by the applicant. See 37 CFR 1.313 | OR REMAINS) CLOSED in or other appropriate commer GHTS. This application is | n this application. If not included | e. THIS ne initiative |
| 1. 🖾 This communication is responsive to <u>August 23, 2004</u> . | | | |
| 2. 🖾 The allowed claim(s) is/are <u>1-31</u> . | • | | |
| 3. \square The drawings filed on <u>17 September 2003</u> are accepted by | the Examiner. | | |
| 4. ☐ Acknowledgment is made of a claim for foreign priority und a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have compared as a copies of the priority documents have compared as a copies of the certified copies of the priority documents have compared as a copies of the certified copies of the priority documents have compared as a copies of the priority documents have compared as a copies of the priority documents have copies of the priority documents have compared as a copies of the priority documents have copies of | been received. been received in Application uments have been receive | on No d in this national stage application fr | |
| 5. A SUBSTITUTE OATH OR DECLARATION must be submitted in the submitted in | reason(s) why the oath o | AMINER'S AMENDMENT or NOTICI r declaration is deficient. | E OF |
| 6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftsperso 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date | n's Patent Drawing Review | | |
| Identifying indicia such as the application number (see 37 CFR 1.8 each sheet. Replacement sheet(s) should be labeled as such in the | 4(c)) should be written on the header according to 37 CF | he drawings in the front (not the back) | of |
| DEPOSIT OF and/or INFORMATION about the deposition attached Examiner's comment regarding REQUIREMENT For attached Examiner REQUIREMENT REGISTER REGISTER | t of BIOLOGICAL MATI | FRIAL must be submitted. Note th | ie |
| | | | ÷ |
| Attachment(s) 1. ⊠ Notice of References Cited (PTO-892) | E □ Notice of In | formal Dataset Assets 11 (DTO 450) | |
| 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) | 6. 🔲 Interview Si | formal Patent Application (PTO-152) ummary (PTO-413), | |
| Information Disclosure Statements (PTO-1449 or PTO/SB/08) Paper No./Mail Date 0804 | Paper No./), 7. ☐ Examiner's | Mail Date Amendment/Comment | |
| I. ☐ Examiner's Comment Regarding Requirement for Deposit | 8. 🛛 Examiner's | Statement of Reasons for Allowance | į |
| of Biological Material | 9. Other | | |
| | | 4 12 31/1W | , |

Application/Control Number: 10/664,376

Art Unit: 1724

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: While it is known in the art to provide a tank having a bottom ad interior sides walls, an inlet for receiving fluid, a baffle having a bottom, sidewalls, and a port through, the baffle connected to the sidewalls of the tank, and a weir (see US Pat No 6,241,881 to Pezzaniti), and it is known to position a baffle above the bottom of the tank (see US Pat No 3,385,444 to Dufournet), and it is known to provide a separator with a weir having bypass functions under high-flow conditions (see US Pat No 6,077,448 to Tran-Quoc-Nam et al.), in the examiner's opinion, the prior art fails to teach or fairly suggest the aggregate of the known elements positioned and operated in the manner recited in the claims in combination with inlet flow control and outlet flow control means on the second side baffle wall. The instant invention provides the advantages disclosed on page 3, paragraph 9 of specification.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Fred Prince whose telephone number is (571) 272-1165. The examiner can normally be reached on Monday-Thursday, 6:30-4:00; alt. Fridays 6:30-3:00.

Art Unit: 1724

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duane Smith can be reached on (571) 272-1166. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Fred Prince
Primary Examiner
Art Unit 1724

fgp 9/23/04